	Application No.	Applicant(s)
Notice of Allowability	09/956,933	FUJIMOTO ET AL.
	Examiner	Art Unit
	Vikkram Bali	2624
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are 1-13, 15-16 (renumbered as 1-15).		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No.	· · · · · · · · · · · · · · · · · · ·
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 2/27/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit 	5. ☐ Notice of Informa 6. ☐ Interview Summa Paper No./Mail D 7. ☑ Examiner's Amer	ry (PTO-413), Date
of Biological Material	9. Other	

Application/Control Number: 09/956,933

Art Unit: 2624

Examiner Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard A. Gollhofer, Reg. # 31,106 on 9/26/2006.

The application has been amended as follows:

In claims:

Cancel claim 14.

Amend claim 13 as follows:

13. A computer readable medium encoded with a computer program, that when executed causes a computer to perform a method comprising:

extracting a plurality of stroke regions from a multilevel image, and generating a binary image of the plurality of stroke regions;

extracting a feature amount based on an attribute of a different pixel included in a neighboring region of a target pixel by using each pixel in each of the plurality of stroke regions as the target pixel; and

separating pixels belonging to the target stroke region from the binary image of the plurality of stroke regions by using the extracted feature amount of each pixel, and generating a binary image of the target stroke region.

Allowable Subject Matter

2. Claims 1-13, 15-16 (renumbered as 1-15) are allowed.

3. The following is an examiner's statement of reasons for allowance:

Claims are allowed because prior art alone or in combination with fail to disclose, suggest or teach an image processing method that includes extracting a plurality of stroke regions from a multilevel image, and generating a binary image of the plurality of stroke regions, extracting a feature amount based on an attribute of a different pixel included in a neighboring region of a target pixel by using each pixel in each of the plurality of stroke regions as the target pixel; and separating pixels belonging to the target stroke region from the binary image of the plurality of stroke regions by using the extracted feature amount of each pixel, and generating a binary image of the target stroke region.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vikkram Bali whose telephone number is 571.272.7415. The examiner can normally be reached on 7:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella can be reached on 571.272.7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Vikkram Bali

Primary Examiner

Art Unit 262

vb

September 27, 2006